CITY OF Goodyear Approved 07/01/21 21-2119 - VIP PRODUCTS

GENERAL NOTES FOR SECTIONS

1. ALL INSULATING MATERIALS SHALL HAVE A FLAME SPREAD RATING NOT TO EXCEED 25 AND A SMOKE DENSITY NOT TO EXCEED 450, WHEN TESTED IN ACCORDANCE WITH ASTM E 84.
2. COMPARE ALL WALL AND BUILDING SECTIONS FOR TYPICAL NOTES AND DETAILS.
3. SEE STRUCTURAL DRAWINGS FOR TYPICAL STRUCTURAL NOTES AND DETAILS.
4. SEE SHEET A-103 FOR ROOFING MATERIALS AND ROOF INSULATION, TYPICAL.

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND IS THE PROPERTY OF BALMER ARCHITECTURAL GROUP INC. THIS DRAWING MAY NOT BE REPRODUCED NOR REPRODUCTION HEREOF USED, WITHOUT THEIR WRITTEN PERMISSION © 2021 BALMER ARCHITECTURAL GROUP, INC.
2425 E. CAMELBACK RD., SUITE 775
PHOENIX, ARIZONA. 85016
PH: 602-954-6718 FAX: 602-468-9680
E-MAIL: ADMIN@BAG-INC.COM

REGISTERED ARCHITECT
CERTIFICATE NO.
11903
WESLEY ROBERT BALMER
ARIZONA, U.S.A.
Exp. 3/31/23



6 WALL SECTION
SCALE 1 1/2" = 1'-0"



5 WALL SECTION
SCALE 3/8" = 1'-0"



4 WALL SECTION
SCALE 3/8" = 1'-0"



3 WALL SECTION
SCALE 3/8" = 1'-0"



2 WALL SECTION
SCALE 3/8" = 1'-0"



1 WALL SECTION
SCALE 3/8" = 1'-0"

SUN STATE BUILDERS

VIP PRODUCTS
GOODYEAR, AZ.
WALL SECTIONS

A-304
40012.010
25MAR21

BALMER architectural group

CITY OF Goodyear Approved 07/01/21 21-2119 - VIP PRODUCTS
CITY OF Goodyear Approved 07/01/21 21-2119 - VIP PRODUCTS