





**GENERAL NOTES FOR SECTIONS**


1. ALL INSULATING MATERIALS SHALL HAVE A FLAME SPREAD RATING NOT TO EXCEED 25 AND A SMOKE DENSITY NOT TO EXCEED 450, WHEN TESTED IN ACCORDANCE WITH ASTM E 84.
2. COMPARE ALL WALL AND BUILDING SECTIONS FOR TYPICAL NOTES AND DETAILS.
3. SEE STRUCTURAL DRAWINGS FOR TYPICAL STRUCTURAL NOTES AND DETAILS.
4. SEE SHEET A-103 FOR ROOFING MATERIALS AND ROOF INSULATION, TYPICAL.




**6 WALL SECTION**  
SCALE 3/8" = 1'-0"




**5 WALL SECTION**  
SCALE 3/8" = 1'-0"




**4 WALL SECTION**  
SCALE 3/8" = 1'-0"



**3 WALL SECTION**  
SCALE 3/8" = 1'-0"



**2 WALL SECTION**  
SCALE 3/8" = 1'-0"




**1 WALL SECTION**  
SCALE 3/8" = 1'-0"



**A-302**  
40012.010  
25MAR21

**VIP PRODUCTS**  
**GOODYEAR, AZ.**  
**WALL SECTIONS**



THIS DRAWING IS AN INSTRUMENT OF SERVICE AND IS THE PROPERTY OF BALMER ARCHITECTURAL GROUP, INC. THIS DRAWING MAY NOT BE REPRODUCED NOR REPRODUCTION HEREOF USED, WITHOUT THEIR WRITTEN PERMISSION. 2021 BALMER ARCHITECTURAL GROUP, INC. 2425 E. CAMELBACK RD., SUITE 775 PHOENIX, ARIZONA 85016 PH: 602-954-0718 FAX: 602-468-8680 E-MAIL: ADMIN@BAG-INC.COM

